




DIMENSIONAL CATALOG

CLASS 125 - PVC


Pressure Fittings

CLASS 125 PVC




Tee

Part No	Size (in)	L	H	G
401-100	10	21 13/16	10 15/16	5 7/8
401-120	12	26 1/8	13 1/16	7




Reducer Tee

Part No	Size (in)	L	H	H1	G	G1
C601-624	10 x 10 x 4	21	10 1/2	7 15/16	5 7/16	5 15/16
C601-626	10 x 10 x 6	21	10 1/2	8 15/16	5 7/16	5 15/16
C601-628	10 x 10 x 8	21	10 1/2	9 7/8	5 7/16	5 7/8
C601-664	12 x 12 x 4	23	11 1/2	9	5 7/16	6 15/16
C601-666	12 x 12 x 6	23	11 1/2	10	5 7/16	6 15/16
C601-668	12 x 12 x 8	23	11 1/2	11	5 7/16	7
C601-670	12 x 12 x 10	26 1/8	13 1/16	13 1/2	7	8 7/16




90° Ell

Part No	Size (in)	H	G
C606-100	10	11 3/16	6 3/16
C606-120	12	13 1/4	7 3/16




90° Street Ell

Part No	Size (in)	H	H1	G	G1
C609-100	10	11 7/32	11 7/32	6 5/32	6 1/4
C609-120	12	13 9/32	13 9/32	7 7/32	7 1/4



45° Ell


Part No	Size (in)	H	J
C617-100	10	8 1/16	3 1/16
C617-120	12	9 9/16	3 1/2



45° Street Ell


Part No	Size (in)	H	J
C623-100	10	8 1/16	3 1/16
C623-120	12	9 9/16	3 1/2

* H & J is related to spigot




Coupling

Part No	Size (in)	L	N
C629-100	10	10 5/16	5/16
C629-120	12	12 3/8	5/16



Reducer Coupling


Part No	Size (in)	L	N
C629-626	10 x 6	10 13/16	2 11/16
C629-628	10 x 8	10 3/4	1 11/16
C629-668	12 x 8	12 7/8	2 11/16
C629-670	12 x 10	13 1/16	1 15/16



Reducer Bushing

Part No	Size (in)	L	N	SPG
C637-623	10 x 3	6 3/8	4 3/8	5 1/16
C637-624	10 x 4	6 3/8	4 1/3	5 1/16
C637-626	10 x 6	5 7/16	2 7/16	5 1/16
C637-628	10 x 8	5 7/16	1 3/8	5 1/16
C637-661	12 x 3	7 3/8	5 3/8	6 1/16
C637-664	12 x 4	7 5/8	5 5/8	6 1/16
C637-666	12 x 6	7 11/16	4 1/8	6 1/16
C637-668	12 x 8	6 7/16	2 3/8	6 1/16
C637-670	12 x 10	6 1/2	1 7/16	6 1/16

Outside diameter taken across hex flats



Cap

Part No	Size (in)	L	S*
C647-100	10	8 1/2	5 9/16
C647-120	12	9 5/8	6 5/8

*S dimension is a measurement of two blended radii

